



Certificate of Compliance

Certificate: 2350550

Master Contract: 220991

Project: 2643954

Date Issued: December 3, 2013

Issued to: Texas Instruments, Inc.
12500 TI Blvd
MS 8701
Dallas, TX 75243
USA
Attention: Tom Hendrick

The products listed below are eligible to bear the CSA Mark shown with adjacent indicator



Martin Buchanan

Issued by: Martin Buchanan, P. Eng.

PRODUCTS

CLASS 9073 30 - ELECTRONIC COMPONENTS - Optoisolators

Component Acceptance of Optoisolator-Like Capacitive Coupling Devices:

Device	Ratings		Stds/Notices	External		
	(kVpeak)	(C)		Internal	Creep(mm)	DistThru(mm)
AMC1204DW	4.0	125	CSA CA5A	-	-	7.5
AMC1204BDW	4.25		14-13			
			60950-1-07+A1			
			61010-1-04			
			IEC 60950-1 2nd Ed.+A1			
			IEC 61010-1 2nd Ed.			



Certificate: 2350550

Master Contract: 220991

Project: 2643954

Date Issued: December 3, 2013

AMC1204BDWV	4.25	125	CSA CA5A	-	-	8.49
			14-13			
			60950-1-07+A1			
			61010-1-04			
			IEC 60950-1 2nd Ed.+A1			
			IEC 61010-1 2nd Ed.			

Suffixes may be used to differentiate shipping package types.

Notes:

1. Reinforced insulation requirements have been met for 148Vrms for CSA 60950-1-07+A1 and IEC 60950-1 2ndEd.+A1 and 300Vrms for CSA 61010-1-04 and IEC 61010-1 2nd Ed.
2. For the DW devices basic insulation requirements have been met for 750Vrms (1060Vp) for CSA 60950-1-07+A1 and IEC 60950-1 2nd Ed. +A1 and 600V for CSA 61010-1-04 and IEC 61010-1 2nd Ed.
3. For the DWV devices basic insulation requirements have been met for 849Vrms (1200Vp) for CSA 60950-1-07+A1 and IEC 60950-1 2nd Ed. +A1 and 600V for CSA 61010-1-04 and IEC 61010-1 2nd Ed.
4. Evaluated by thermal cycling and other tests for a temperature rating of 105C.
5. The creepage and clearance has been evaluated for altitudes $\leq 2000\text{m}$, in pollution degree 2, material group III and overvoltage category II.

These devices are Component Accepted as components for use in other Certified equipment where the suitability of the combination shall be determined by investigation in the final application.

APPLICABLE REQUIREMENTS

Component Acceptance Notice 5A (CA 5A) - Announcement of Extension of the Component
Acceptance Service for Optocouplers and Related Devices

CAN/CSA-C22.2 No 14-13 - Industrial Control Equipment

CAN/CSA-C22.2 No 60950-1-07+A1 - Information Technology Equipment - Safety - Part 1: General
Requirements (Bi-national Standard, with UL 60950-1)



Certificate: 2350550

Master Contract: 220991

Project: 2643954

Date Issued: December 3, 2013

CAN/CSA-C22.2 No. 61010-1-04 - Safety Requirements for Electrical Equipment for Measurement, Control and Laboratory Use - Part 1: General Requirements

IEC 60950-1 2nd Ed.+A1 - Information Technology Equipment - Safety - Part 1: General Requirements

IEC 61010-1 2nd Ed. 2001 02 - Safety Requirements for Electrical Equipment for Measurement, Control and Laboratory Use - Part 1: General Requirements



Certificate of Compliance

Certificate: 2643953

Master Contract: 220991

Project: 2643953

Date Issued: December 3, 2013

Issued to: Texas Instruments, Inc.

12500 TI Blvd
MS 8701
Dallas, TX 75243
USA
Attention: Tom Hendrick

The products listed below are eligible to bear the CSA Mark shown with adjacent indicator



Martin Buchanan

Issued by: Martin Buchanan, P. Eng.

PRODUCTS

CLASS 9073 30 - ELECTRONIC COMPONENTS - Optoisolators

Component Acceptance of Optoisolator-Like Capacitive Coupling Devices:

Device	Ratings (kVpeak)	Stds/Notices (C)	Internal Creep(mm)	External DistThru(mm)	Creep/Clear(mm)
AMC1203BDUB	4.0	105	CSA CA5A	-	7.3
AMC1203DUB			14-13 60950-1-07+A1 61010-1-04 IEC 60950-1 2nd Ed.+A1 IEC 61010-1 2nd Ed.		
AMC1203BDW	4.0	105	CSA CA5A	-	7.5



Certificate: 2643953

Master Contract: 220991

Project: 2643953

Date Issued: December 3, 2013

AMC1203DW			14-13			
			60950-1-07+A1			
			61010-1-04			
			IEC 60950-1 2nd Ed.+A1			
			IEC 61010-1 2nd Ed.			
AMC1203BPSA	4.0	105	CSA CA5A	-	-	5.6
AMC1203PSA			14-13			
			60950-1-07+A1			
			61010-1-04			
			IEC 60950-1 2nd Ed.+A1			
			IEC 61010-1 2nd Ed.			

Suffixes may be used for different shipping package types.

Notes:

1. For DUB and DW devices, reinforced insulation requirements have been met for 148Vrms for CSA 60950-1-07+A1 and IEC 60950-1 2ndEd.+A1 and 300Vrms for CSA 61010-1-04 and IEC 61010-1 2nd Ed.
2. For DUB devices, basic insulation requirements have been met for 730Vrms (1032Vp) for CSA 60950-1-07+A1 and IEC 60950-1 2nd Ed.+A1 and 600V for CSA 61010-1-04 and IEC 61010-1 2nd Ed.
3. For DW devices, basic insulation requirements have been met for 750Vrms (1060Vp) for CSA 60950-1-07+A1 and IEC 60950-1 2nd Ed.+A1 and 600V for CSA 61010-1-04 and IEC 61010-1 2nd Ed.
4. For PSA devices, basic insulation requirements have been met for 560Vrms (791Vp) for CSA 60950-1-07+A1 and IEC 60950-1 2ndEd.+A1 and 300Vrms for CSA 61010-1-04 and IEC 61010-1 2nd Ed.
5. Evaluated by thermal cycling and other tests for a temperature rating of 105C.
6. The creepage and clearance has been evaluated for altitudes $\leq 2000\text{m}$, in pollution degree 2, material group III and overvoltage category II.

These devices are Component Accepted as components for use in other Certified equipment where the suitability of the combination shall be determined by investigation in the final application.



Certificate: 2643953

Master Contract: 220991

Project: 2643953

Date Issued: December 3, 2013

APPLICABLE REQUIREMENTS

Component Acceptance Notice 5A (CA 5A) - Announcement of Extension of the Component
Acceptance Service for Optocouplers and Related Devices

CAN/CSA-C22.2 No 14-13 - Industrial Control Equipment

CAN/CSA-C22.2 No 60950-1-07+A1 - Information Technology Equipment - Safety - Part 1: General
Requirements (Bi-national Standard, with UL 60950-1)

CAN/CSA-C22.2 No. 61010-1-04 - Safety Requirements for Electrical Equipment for Measurement, Control
and Laboratory Use - Part 1: General Requirements

IEC 60950-1 2nd Ed.+A1 - Information Technology Equipment - Safety - Part 1: General Requirements

IEC 61010-1 2nd Ed. 2001 02 - Safety Requirements for Electrical Equipment for Measurement, Control
and Laboratory Use - Part 1: General Requirements



Certificate of Compliance

Certificate: 2643952

Master Contract: 220991

Project: 70016566

Date Issued: 2014 12 31

Issued to: Texas Instruments, Inc.
 12500 TI Blvd.
 MS 8701
 Dallas, TX 75243
 USA

Attention: Tom Hendrick

*The products listed below are eligible to bear
 the CSA Mark shown with adjacent indicator*



Issued by: Martin Buchanan
 Martin Buchanan, P. Eng.

PRODUCTS

CLASS 9073 30 - ELECTRONIC COMPONENTS - Optoisolators

Component Acceptance of Optoisolator-Like Capacitive Coupling Devices:

Device	Ratings		Applicable Standards/Notices	Internal		External
	kVpeak	°C		Creepage (mm)	Dist Thru (mm)	Creep/Clear (mm)
AMC1200BDUB AMC1200SDUB AMC1200STDUBRQ1 AMC1100DUB	4.25kVpeak 4.0kVpeak 4.0kVpeak 4.25kVpeak	105	CSA CA5A 14-13 60950-1-07+A1+A2 61010-1-04 IEC 60950-1 2nd Ed.+A1+A2 IEC 61010-1 2nd Ed.	-	-	7.3
AMC1200BDWV AMC1100DWV	4.25kVpeak 4.25kVpeak	105	CSA CA5A 14-13 60950-1-07+A1+A2 61010-1-04 IEC 60950-1 2nd	-	-	8.49



Certificate: 2643952
Project: 70016566

Master Contract: 220991
Date Issued: 2014 12 31

			Ed.+A1+A2 IEC 61010-1 2nd Ed.			
--	--	--	----------------------------------	--	--	--

Suffixes may be used for different shipping package types.

Notes:

1. Reinforced insulation requirements have been met for 148Vrms for CSA 60950-1-07+A1 and IEC 60950-1 2ndEd.+A1 and 300Vrms for CSA 61010-1-04 and IEC 61010-1 2nd Ed.
2. For the DUB devices basic insulation requirements have been met for 730Vrms (1032Vp) for CSA 60950-1-07+A1 and IEC 60950-1 2nd Ed. +A1 and 600V for CSA 61010-1-04 and IEC 61010-1 2nd Ed.
3. For the DWV devices basic insulation requirements have been met for 849Vrms (1200Vp) for CSA 60950-1-07+A1 and IEC 60950-1 2nd Ed. +A1 and 600V for CSA 61010-1-04 and IEC 61010-1 2nd Ed.
4. Evaluated by thermal cycling and other tests for a temperature rating of 105C.
5. The creepage and clearance has been evaluated for altitudes $\leq 2000\text{m}$, in pollution degree 2, material group III and overvoltage category II.

These devices are Component Accepted as components for use in other Certified equipment where the suitability of the combination shall be determined by investigation in the final application.

APPLICABLE REQUIREMENTS

- Component Acceptance Notice 5A (CA 5A) - Announcement of Extension of the Component Acceptance Service for Optocouplers and Related Devices
- CAN/CSA-C22.2 No 14-13 - Industrial Control Equipment
- CAN/CSA-C22.2 No 60950-1-07+A1+A2 - Information Technology Equipment - Safety - Part 1: General Requirements (Bi-national Standard, with UL 60950-1)
- CAN/CSA-C22.2 No. 61010-1-04 - Safety Requirements for Electrical Equipment for Measurement, Control and Laboratory Use - Part 1: General Requirements
- IEC 60950-1 2nd Ed.+A1+A2 - Information Technology Equipment - Safety - Part 1: General Requirements
- IEC 61010-1 2nd Ed. 2001 02 - Safety Requirements for Electrical Equipment for Measurement, Control and Laboratory Use - Part 1: General Requirements



Supplement to Certificate of Compliance

Certificate: 2643952

Master Contract: 220991

*The products listed, including the latest revision described below,
are eligible to be marked in accordance with the referenced Certificate.*

Product Certification History

Project	Date	Description
2643952	Dec 3 2013	Original Certification
2705731	Apr 14 2014	Addition of Q and Q1 models
70016566	Dec 31 2014	Addition of AMC1100

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (<https://www.ti.com/legal/termsofsale.html>) or other applicable terms available either on [ti.com](https://www.ti.com) or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265
Copyright © 2021, Texas Instruments Incorporated