


Revision History				
Rev	ECN #	Approved Date	Approved by	Notes
E1				Initial Draft



Texas Instruments and/or its licensors do not warrant the accuracy or completeness of this specification or any information contained therein. Texas Instruments and/or its licensors do not warrant that this design will meet the specifications, will be suitable for your application or fit for any particular purpose, or will operate in an implementation. Texas Instruments and/or its licensors do not warrant that the design is production worthy. You should completely validate and test your design implementation to confirm the system functionality for your application.

Orderable:	Designed for: XDS110ISO-EVM	Mod. Date: 4/16/2024
TID #: N/A	Project Title:	
Number: XDS110ISO-EVM-Rev. 14-pin JTAG adapter board	Sheet:	1 of 8
SVN Rev: Not in version control	Assembly Variant: [No Variations]	File: XDS110ISO-EVM_TI_14-pin_JTAG_adapter_board_SchDoc
Drawn By: Cody Watkins	Engineer: Sumit Patil	Contact: http://www.ti.com/support



Filename: hraicuf4.xlsx
Variant: None
Generated: 4/16/2024 4:34 PM

<Parameter EVM_Orderable not found>

Designator	Quantity	U	m	Name Error:	V	Description	PackageReference	PartNumber	Manufacturer	#Column Name Error:	Name Error:	Alternate Manufacturer
J1	1					Conn Unshrouded HDR 16 POS 2.54mm Solder ST SMT	HDR15	TSM-108-01-L-DV-008-P-TR	Samtec			
J2	1					14 Position Receptacle Connector 0.100" (2.54mm) Surface Mount Gold	HDR14	SSW-107-22-G-D-VS-006	Samtec			

Notes:
Unless otherwise noted in the Alternate PartNumber and/or Alternate Manufacturer columns, all parts may be substituted with equivalents.

11

J2