

Filename: TIDM-SOLARUINV-BOM.xlsx
 Variant: 001
 TID #: TIDM-SOLARUINVKIT



TIDM-SOLARUINVKIT Bill of Materials

Item	Qty	Reference	MFG	PN	Part Name	Description	Notes
13	1	C1			2.2uF Capacitor, Ceramic Chip, 60V, ±10%,1206	Capacitor, Ceramic Chip, 60V, ±10%	
32	2	C2-3	TDK	B32674D4155K	CA, 1.5 uF	Capacitor, Poly Film 450 V, ±10%, B32674D4155K (DK 495-2917-ND)	
	0	C4-5		DNI	NL	NL	DNI
5	1	C6			0.1uF,0603	Capacitor, Ceramic Chip, 100V, ±10%, X7R	
33	1	C7	TDK	<u>B32674D4475K</u>	CAP, 4.7uF	Capacitor, Poly Film 450 V, ±10%, DK p/n 495-2920-ND, EPCOS cap B32674D4475	
3	0	C8			NL	NL	DNI
8	1	C9	United Chemi-con	EKXG451ELL101MM40S	Cap, Elect,100uF	Capacitor, Elect, 450V, DK p/n 565-1481-ND, United Chemi-con p/n EKXG451ELL101MM40S	
7	0	C10	NL	DNI	NL		DNI
12	1	C11,C12			CAP 0805 25V 2.2uF X7R	Capacitor, Ceramic, X7R, 25V	
	1	C11:1,C12:1			CAP 1210 25V 10uF X7R	Capacitor, Ceramic, X7R, 25V	
19	4	C13-16	Murata	GA355QR7GF222KW01L	C2220,2200pF	Capacitor, Ceramic, X1/Y2, 250VAC, GA355QR7GF222KW01L	

36	1	C17	Panasonic	ECQ-U3A224MG	CAP, 0.22uF, 300V, ECQ-U3A224MG	CAP FILM 0.22UF 300VAC RADIAL, DK P11118-ND	
	0	C18 C19 C45 C49-50 C54 C67 C69		DNI	NL		DNI
29	9	C26, C33 C56-57 C59 C62 C65 C78, C98			CAP, 0603, 1n, 6.3V, 10%		
	1	C93			CAP, 0603, 50V,10nF	Capacitor, Ceramic Chip, 50V, ±10%, X7R	
	1	C99			CAP, 0603, 50V,10nF	Capacitor, Ceramic Chip, 25V, ±10%, X7R	
	2	C21, C22			CAP, 0603, 0.22uF, 6.3V, 10%		
	3	C27, C94-95			CAP, 0603, 1uF, 6.3V, 10%		
	1	C92			CAP, 0603, 470p, 6.3V, 10%		
	2	C71, C81			CAP, 0603, 0.47u, 25V, 10%		
	2	C72, C82			CAP, 0805, 10u, 25V, 10%		
	5	C10 C25 C28 C75 C88			CAP, 0603, 100n, 25V, 10%		
	0	C35, C64, C66, C79, C80, C89, C90, C130		DNI	NL		DNI
	1	C48			CAP,1uF,0603,16V	Ceramic Cap,X7R	
38	2	C23-24	AVX	FFB44E0476K	CAP, Film, 47u, 100V, AVX p/n FFB44E0476K	Capacitor, Film, 100V	
10	4	C32, C51- C52, C55			C0805, 1uF	Capacitor, Ceramic, 50V, X7R, +/- 10%	
15	2	C34 C36	AVX	12101A222JAT2A	C1210, 2200pF	Capacitor, Ceramic Chip, 100V, ±10%, 12101A222JAT2A	

35	2	C37-38	TDK	CKG57NX7S2A226M	CAP, 22uF	Capacitor, Ceramic, 100V, +20-55%, CKG57NX7S2A226M	
16	4	C39-40 C42-43	TDK	C3225X7S2A475M	C1210, 4.7uF	Capacitor, Ceramic Chip, 100V, ±10%, C3225X7S2A475M	
17	0	C41, C44		DNI	NL	Capacitor, Ceramic Chip, 100V, ±10%	DNI
30	8	C30 C46 C61 C63 C70 C86 C91 C128			CAP, 0.1uF, 0805	Capacitor, Ceramic Chip, 25V, ±10%	
		C20			0.01uF,0603,25V	Capacitor, Ceramic Chip, 16V, ±10%, X7R	
	0	C53	NL	DNI	NL		DNI
4	7	C29 C31 C47 C87 C97 C124 C126			C0603, 0.1u	Capacitor, Ceramic Chip, 25V, ±10%	
11	10	C58 C60 C68 C73-74 C76-77 C83-85			C0805,1uF	Capacitor, Ceramic Chip, 25V, ±10%, X7R	
18	1	C96			C1812, 0.1uF, 500V, 10%	Capacitor, Ceramic, 500V, 1812, STD	
31	1	C127			Cap, 0603, 0.01u, 6.3V, 10%		
20	0	C220		DNI	NL	NL	DNI
25	1	C:C1			C0805_25V_X7R,10u	CAP CER 25V 10% X7R 0805	
28	2	C:C8 C:C15			C1206, 22u	CAP CER 25V 10% X7R 1206	
37	2	C:C11 C:C18		DK p/n P5154-ND	CAP, 330u	CAP ALUM 330UF 25V 20% RADIAL	
27	2	C:C12 C:C19			C1206, 10u	CAP CER 25V 10% X7R 1206	
	0	C:C9-10 C:C16-17		DNI	NL		DNI

24	2	C:C13 C:C20			C0805,100n	CAP CER 25V 10% X7R 0805	
26	2	C:C14 C:C21			C0805, 4u7	CAP CER 25V 10% X7R 0805	
	1	C105	AVX	1812GC102KAT1A	1000pF,X7R,2000V	SURFACE MOUNT CAPACITOR 0.080 X 0.180 INCHES	
	1	C102			100nF,16V,X7R,0603		
42	2	C:JP2-3		DK p/n CP-002AH-ND	CONN, Power Jack	CONN PWR JACK 2.1X5.5MM HIGH CUR	
80	3	C:LD2-3 E:LD1		DK p/n 404-1021-1-ND	LED0805_GREEN, GREEN	LED GREEN 0805 SMD, Diffused, 567nm	
86	2	C:M2-3	TI	PTH08080WAH	MOD_PTH08080WAH	MODULE PIP .9- 5.5V 2.25A HORZ TH	
125	2	C:R3 C:R5			R0805_1%,330R	RES 1/8W 1% 0805 SMD	
126	2	C:R4 C:R6			R0805_1%,470R	RES 1/8W 1% 0805 SMD	
68	0	C:U2	NL	NL	NL	NL	DNI
67	1	C:U3	TI	TPS79533DCQ	IC_LDO_TPS79533DCQ	IC LDO REG 3.3V 500MA SOT223-6	
53	6	D1-5, D33	CREE	CSD10060G	Diode,CSD10060G	Diode, Schottky Rectifier, 10A, 600V	
	0	D6, D19		DNI	NL	NL	DNI
46	9	D7 D9-10 D13 D23-24 D26-27 D29	DIODES INC	BAT54S	D-BAT54S, SOT23-3	Diode, Dual Schottky, 200-mA, 30-V, Vishay p/n BAT54S	
50	4	D8 D11-12 D16	SPC MULTICOM P	BZT52C15	D-ZENER_SOD-123, BZT52C15	Diode, Zener, 15V, 500mW	
2	8	D14-15 D22 D25 D18 D30-32	FAIRCHILD	MBR0530	Diode, Schottky, MBR0530, SOD-123	Diode, Schottky, 0.5A, 30V	
	1	D34		SDM10U45-7-F	SDM10U45-7-F	Diode, Schottky, 45V,100mA	

	1	D35		DFLS1100-7	DFLS1100-7	Diode, Schottky, 1A, 100V	
45	2	D17 D20	FAIRCHILD	BAT54	Diode,BAT54	Diode, Schottky, 200-mA, 30-V, DK p/n BAT54FSCT-ND	
44	0	D21		DNI	NL	NL	DNI
48	1	D28	COMCHIP	DF06-G	D-BRIDGE, DF06-G	Bridge Rectifier, 600V, 1A, Glass Passivated, SMD	
47	1	D220	VISHAY	BAV70-E3-08	Diode Dual, BAV70-V	Diode, Switching, Dual, 70-V, 250-mA	
34	1	E:C1	KYOCERA	SA111E104MAR	CAP_CER_SA111E104MAR, 100n	CAP CER 0.1UF 100V 20% AXIAL	
22	3	E:C2 E:C5-6			C0603_16V_X7R,1u	CAP CER 16V 10% X7R 0603	
21	14	E:C3-4 E:C8-19			C0603_16V_X7R,100n	CAP CER 16V 10% X7R 0603	
23	1	E:C7			C0603_16V_X7R,2u2	CAP CER 16V 10% X7R 0603	
52	1	E:DA1	ZETEX / DIODES INC	BAW567DW-7-F	DIODE_ARRAY_BAW567DW-7-F	DIODE ARRAY SW QUAD 200MW SC70-6	
59	0	E:J1	NL	NL	NL	NL	DNI
57	2	E:J2-3			HEADER_1X2_100	Header, Male, 1x2-pin, 100mil spacing	
43	0	E:JP1	NL	NL	NL	NL	DNI
78	2	E:L1-2	MURATA	LQM21FN220N00L	L0805_LQM21FN220N00L,2 2u	INDUCTOR 22UH 13MA 0805	
117	1	E:R1			R0603_1%,470R	RES 1/10W 1% 0603 SMD	
109	1	E:R2			R0603_1%,1K	RES 1/10W 1% 0603 SMD	
106	1	E:R3			R0603_1%,10K	RES 1/10W 1% 0603 SMD	
111	1	E:R4			R0603_1%,1M	RES 1/10W 1% 0603 SMD	
114	3	E:R5 E:R10-11			R0603_1%,2K2	RES 1/10W 1% 0603 SMD	
118	1	E:R6			R0603_1%,47K	RES 1/10W 1% 0603 SMD	

113	2	E:R7 E:R9			R0603_1%,27R	RES 1/10W 1% 0603 SMD	
119	1	E:R8			R0603_1%,680R	RES 1/10W 1% 0603 SMD	
107	1	E:R12			R0603_1%,120	Resistor, Chip, 1/16W, 1%	
108	1	E:R13			R0603_1%,19.6K	Resistor, Chip, 1/16W, 1%	
120	0	E:R14			R0603_1%,NL	Resistor, Chip, 1/16W, 1%	
69	0	E:U1	NL	NL	NL	NL	DNI
70	0	E:U2	NL	NL	NL	NL	DNI
66	0	E:U3	NL	NL	NL	NL	DNI
65	0	E:U4	NL	NL	NL	NL	DNI
63	0	E:U5	NL	NL	NL	NL	DNI
64	0	E:U6	NL	NL	NL	NL	DNI
93	0	E:X1	NL	NL	NL	NL	DNI
55	2	F1 F4	Schurter	<u>3101.004</u>		FUSEHOLDER SLOT FPG4 IP40, DK 486-1159-ND	
	2	F1 F4	Bussmann	GMC-2-R		FUSE 2A 250V MED T-LAG GLASS	
62	3	HS2, HS4-5	Aavid	782653B02000	HEATSINK, 782653B02000	Heatsink, Vertical-mount, Clip Extrusion	Install HS2 (marked on the PCB). HS2 is used for MOSFETs Q8 & Q9

	0	HS1		DNI	NL	NL	HS1 associated with Q10 & Q13. Q10 & Q13 is NL and so HS2 is also NL
39	1	J1	QUALTEK	Q218-ND	CONN AC RECEPT 7MM R/A RND PCB, 703W-00/52	Connector, 10A 250 VAC RA, DK p/n Q218-ND	
41	2	J2 J5	PHOENIX	MKDS3/2	CONN, MKDS3/2	Header, Side Entry 2-pin, 5mm spacing,	
61	2	J3 J7	SAMTEC	TFM-110-02-SM-D-A-K-TR	A-K-TR	pin, Shrouded	
56	11	J12 J14 J16 J18 J22-26, J43-44	MILMAX	3115-2-00-15-00-00-08-0	HEADER, 3115-2-00-15-00-00-08-0	Header, Single pin	
	0	J43-44		DNI	NL		DNI
	27	J4 J6 J8-11, J15, J17 J19-21 J27-37, J39-J40, J42, J45-46			HEADER_1X2_100	Header, Male, 1x2-pin, 100mil spacing	
	0	J13, J38, J41	NL	NL	NL		DNI
127	1	K3	PANASONIC	ST2-DC12V-F	RELAY, ST2-DC12V-F	Relay, 380Vac, 250VDC, 8A, DPST, 12V coil volt	
74	2	L5-6	BOURNS, Wurth Electronics	Bourn:2320-V-RC, Wurth : 750314181	IND, Differential Mode, Bourns 2320-V-RC, WURTH 750314181	Inductor, Line Filter, DK p/n M8894-ND	
73	2	L7 L11	VITEC	53PR105	IND. ViTEC, 53PR105	Inductor.	
71	1	L10	BOURNS / JW MILLER	8115-RC	IND, J.W.Miller 8115, 1.2mH	Inductor, Common mode	
79	2	LED1-2		DK p/n 404-1017-1-ND	LED0,Red	Typical INFRARED GaAs LED	

85	1	M1		PTI TO MAKE/THIS IS A SUB ASSEMBLY	MOD, PR798-12	Aux Bias Supply, 400Vin, +12Vout sec, +12Vout prim, 5W	
	0	M2	NL	NL	NL	NL	DNI
60	0	P1	NL		HEADER_9X2	Header, 9-Pin, Dual row	DNI
58	0	P2	NL		HEADER_4X2	Header, 4-Pin, Dual row	DNI
144	4	Q1-4	POWER SEMI MICRO	APT11N80KC3G	TR_NFET, TO-220V, APT11N80KC3G	CoolMOS, MicroSemi, , N-ch, 800V 11A	
87	2	Q5-6	FAIRCHILD	2N7002	MOS, 2N7002, NMOS		
90	2	Q8-9	IR	IRFB4227PBF	MOSFET, IRFB4227PBF	MOSFET N-CH 200V 65A TO-220AB	
	0	Q10, Q13		DNI	NL	NL	DNI
143	1	Q220	ST MICRO	2N7002	TR, 2N7002	MOSFET, N-ch, 60-V, 115-mA, 1.2-Ohms	
102	1	R1			R0603,127K	Resistor, Chip, 1/16W, 1%	
101	1	R2			R0603,23.7K	Resistor, Chip, 1/16W, 1%	
98	1	R3			R0603,330K	Resistor, Chip, 1/16W, 1%	
	1	R4			R0603, 634 ohm, 0.5%	Resistor, 634 ohm, 0.5%	
	0	R139-140, R151-152			RES, 0805, 10K, 1%	RES, 0805, 10K, 1%	
	9	R107, R131, R133-135, R143, R145-147			RES, 0805, 100 ohm, 1%	D8	
	2	R105 R119			RES, 0805, 15K, 1%		
	0	R20 R23	NL	DNI	NL		DNI
	8	R58 R59 R61 R64 R166-169			RES, 0805, 10K, 1%		

	2	R82 R102			RES, 0805, 7.5K, 1%		
	2	R45 R92			RES, 0805, 1K, 0.5%		
	1	R39			RES, 0805, 3.32K_0.5%	RES, 0805, 3.32K_0.5%	
	1	R66			RES 0603, 0	Resistor, Chip, 1/16W, 1%	
	4	R5, R202, R203-204			RES, 0805, 0 ohm	Resistor, 0 ohm	
	1	R9			RES 0603 1K	Resistor, Chip, 1/16W, 1%	
97	1	R6			RES 0603 9.1K	Resistor, Chip, 1/16W, 1%	
99	1	R7			R0603,1K	RES 1/10W 1% 0603 SMD	
	1	R200			RES, 0603, 1K, 0.5%		
	1	R118			RES, 0603, 200.0K, 0.5%		
	1	R76			RES, 0603, 1M, 1%		
	2	R34, R36			RES, 0603, 50 ohm, 1%		
	4	R72, R22 R28 R33			RES, 0603, 100 ohm, 1%		
	2	R62, R70			RES, 0603, 1.74K, 0.5%		
	2	R40, R74			RES, 0603, 0 ohm		
	5	R30-32, R35, R43			RES, 0603, 5.1K, 1%		
	2	R25, R26			RES, 0603, 1K, 1%		
	3	R29, R37, R38			RES, 0603, 510, 1%		
	2	R18, R21			RES, 0603, 4.87K, 1%		
	2	R16-17			RES, 0603, 2.2K, 1%		
	8	R14, R15, R19, R120, R123 R125 R128-129			RES, 0603, 24.9K, 0.5%		
	1	R13			RES, 0603, 3.32K, 0.5%		
	2	R12, R127			RES, 0603, 1.47K, 0.5%		
	0	R8 R10 R11 R46 R80 R88 R89 R138 R141 R150 R153 R199		DNI	NL		DNI

94	3	R24, R27, R106			R0603,10.0k	Resistor, Chip, 1/16W, 1%	
104	2	R41-42			RES 0805 1K	Resistor, Chip, 1/16W, x%	
95	1	R44			R0603,100	RES 1/10W 1% 0603 SMD	
123	4	R47 R49-51			R0805_1%,10.0k	Resistor, Chip, 1/10W, 1%	
124	6	R48 R112 R121 R159- 160 R173			R0805, 1%, 15 ohm	Resistor, Chip, 1/10W, 1%	
132	4	R52-53 R55- 56			RES, 0603, 1K, 1%		
122	2	R54 R57			RES, 0805, 0 ohm	Resistor, Chip, 1/10W, 1%	
129	2	R73 R75			RES, 0603, 3.6K, 1%		
	3	R90 R130 R142			RES, 0603, 0 ohm		
	3	R83, R98, R201			RES, 0603, 10.0 ohm, 1%		
	1	R81			RES, 0603, 510.0 ohm, 1%		
	4	R68-69, R78-79			RES, 0603, 5.1 ohm, 1%		
	2	R63, R65			RES, 0603, 3.6K, 1%		
	4	R60, R67, R71, R77			RES, 0603, 10K, 1%		
	8	R132 R136 R144 R148 R207-208 R1030 R1040			RES, 1206, 2.2 ohm, 1%		
	16	R84-87, R94-97, R108-111, R113-116			RES, 1206, 475K, 0.5%		
96	1	R99			R0603,10K	Resistor, Chip, 1/16W, x%	
115	4	R103 R158, R122, R161			R0603, 1%, 0	Resistor, Chip, 1/16W, 1%	
	1	R183			R0603,27K	Resistor, Chip, 1/16W, 1%	

	1	R184			R0603,2K	Resistor, Chip, 1/16W, 1%	
121	0	R101, R124, R126, R154, R157, R162, R163, R164,		DNI	NL	Resistor, Chip, 1/16W, 1%	DNI
116	2	R137 R155			R0603, 1%, 464	Resistor, Chip, 1/16W, 1%	
105	2	R149 R156			R0603, 1%, 1.37K	Resistor, Chip, 1/16W, 1%	
103	1	R165			R0805, 200	Resistor, Chip, 1/16W, x%	
89	1	RV1	TDK	B72210S0381K101	MOV, B72210S0381K101	MOV, yyA	
88	1	RV2	TDK	B72210S0321K101	MOV, B72210S0321K101	MOV, 3.5A	
54	1	T2	VITEC	58PR6962	TFMR Flyback, ViTEC 58PR6962		
	0	T1	NL	DNI	NL	NL	DNI
149	1	T4	PULSE	PA1005.050NL	XFMR, Pulse PA1005.050NL	Transformer, 3 Pri, 2Sec	
	0	T3		DNI	NL	NL	DNI
	1	T5	Coilcraft	MSD1278 -273ML	27uH Coupled Inductor ,2A RMS	SMT Coupled Inductor ,2A RMS	
138	27	TP2 TP6 TP79 TP85- 91 TP93-94	KEYSTONE	5002	TP-5002-WHITE,5002	Test Point, White, Thru Hole Color Keyed	
		TP97-105 TP108-109 TP111-113 TP115					

137	1	TP3	KEYSTONE	5000	TP-5000-RED,5000	Test Point, Red, Thru Hole Color Keyed	
140	20	TP4-5 TP7 TP11 TP14 TP19-21 TP24	KEYSTONE	5011	TP-5011-BLACK,5011	Test Point, Black, Thru Hole	
		TP32-35 TP41 TP49 TP71-74					
	0	TP45	NL	NL	NL		DNI
40	7	TP8-10 TP12-13 TP15-16		Digi p/n: 501-1115-ND	CONN_BANANA_JACK	HDWR BANANA JACK UNINS	
139	1	TP17	KEYSTONE	5002	TP-5002-WHITE,5002	Test Point, White, Thru Hole Color Keyed	
141	5	TP45, TP61, TP70, TP75- 76	KEYSTONE	5013	TP-5013-ORANGE,5013	Test Point, Orange, Thru Hole	
136	1	U2	TI	TL431AIDBZ	TL431AIDBZ	IC, Precision Adjustable Shunt Regulator	
147	1	U3	TI	UCC27324D	UCC27324D	IC, High Speed Low Side Power MOSFET driver	
83	3	U4-5 U8		LMV7235M5/NOPBCT	LMV7235M5/NOPBCT	IC, 45nsec, R-R Input Comparator With Open- Drain/Push-Pull Output	
51	1	U6		100 pin DIMM socket - Molex 0876301001	DIM100		
1	1	U7	TI	AMC1200SDUB	AMC1200SDUB	IC, Fully-Differential Isolation Amplifier	
82	1	U9	NATIONAL	LM61CIM3/NOPB	LM61CIM3/NOPB		
91	7	U1, U10-15	TI	OPA2171	OPAMP, DUAL, OPA2171, SO-8		

145	1	U24	TI	SM72295MA	SM72295MA		
92	2	U17 U27	TI	ISO7420	Digital Isolator, ISO7420 (Texas Instruments)	IC, Dual-channel Low Power, Digital ISO	
146	2	U19 U28	TI	UCC27531DBV	UCC27531DBV	IC, 2.5A/5A, 40Vmax VDD FET/IGBT Single Gate Drivers	
133	2	U20 U22	RECOM POWER	RP-1212S	RP-1212S	IC, DC/DC- Converter, 12Vin, 12Vout, 84 mA	
84	1	U21	LEM HOLDINGS	LTSR6_NP	LEM, Current Sensor with Ref output, LTSR6_NP	LEM, LTSR6_NP	
81	2	U23 U29	TI	LM317LIPK	LM317LIPK	IC, 3-Terminal Pos. Adj. Regulator, 100 mA	
134	1	U25	ALLEGRO	ACS712ELCTR-20A-T	Current Sensor, ACS712ELCTR-20A-T	SO-8SM	
77	1	U30	TI	ISO7240CFDW	ISO7240CFDW		
	1	M3	TI	LM5017MR	LM5017MR		
150	0	ZD1 ZD5-7		DNI	NL		DNI
	1	JP3, JP2					Short these on PCB with wire rated for high current(15 A).
	1	TP8, TP9					Short these on PCB with wire rated for high voltage (400V) & current(5 A).
	6	Ref Q1~Q4, Q8, Q9	Bergquist	Insulators, DK p/n BER156-ND	Insulators for TO220		

	6	Ref Q1~Q4, Q8, Q9	Aavid Thermalloy	Clip MAX01	Clip for TO220		
	6	Ref HS1, HS4, HS5		Insulating Washers	Digi p/n 3118K-ND		between Heatsink and PCB
	1				MANEX 831-0019759	HIGH VOLTAGE LABEL	Install near TP8 TP10 Added line item per DN- 385. KG 04/15/14
	1				MANEX 831-0019760	HIGH TEMP WARNING LABEL	Install near T2 & HS1 Added line item per DN- 385. KG 04/15/14
	0	R100:1			DNL	NL	
	1	R100			Zero Ohm , 0805		

Revision Notes

3/24/2015

R30-32, R35, R43, changed from 5K to 5.1K

R18, R21 , changed from 4.81K to 4.87K

R68-69 and R78-79 changed from 5 to 5.1 ohms

3/25/2015

E:R14 Qty moved to 0 as this is NL

8/4/2015

Added cross part for L5&L6

8/21/2015

R100 is Zero Ohm 0805 and not 10K

IMPORTANT NOTICE FOR TI DESIGN INFORMATION AND RESOURCES

Texas Instruments Incorporated ("TI") technical, application or other design advice, services or information, including, but not limited to, reference designs and materials relating to evaluation modules, (collectively, "TI Resources") are intended to assist designers who are developing applications that incorporate TI products; by downloading, accessing or using any particular TI Resource in any way, you (individually or, if you are acting on behalf of a company, your company) agree to use it solely for this purpose and subject to the terms of this Notice.

TI's provision of TI Resources does not expand or otherwise alter TI's applicable published warranties or warranty disclaimers for TI products, and no additional obligations or liabilities arise from TI providing such TI Resources. TI reserves the right to make corrections, enhancements, improvements and other changes to its TI Resources.

You understand and agree that you remain responsible for using your independent analysis, evaluation and judgment in designing your applications and that you have full and exclusive responsibility to assure the safety of your applications and compliance of your applications (and of all TI products used in or for your applications) with all applicable regulations, laws and other applicable requirements. You represent that, with respect to your applications, you have all the necessary expertise to create and implement safeguards that (1) anticipate dangerous consequences of failures, (2) monitor failures and their consequences, and (3) lessen the likelihood of failures that might cause harm and take appropriate actions. You agree that prior to using or distributing any applications that include TI products, you will thoroughly test such applications and the functionality of such TI products as used in such applications. TI has not conducted any testing other than that specifically described in the published documentation for a particular TI Resource.

You are authorized to use, copy and modify any individual TI Resource only in connection with the development of applications that include the TI product(s) identified in such TI Resource. NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE TO ANY OTHER TI INTELLECTUAL PROPERTY RIGHT, AND NO LICENSE TO ANY TECHNOLOGY OR INTELLECTUAL PROPERTY RIGHT OF TI OR ANY THIRD PARTY IS GRANTED HEREIN, including but not limited to any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information regarding or referencing third-party products or services does not constitute a license to use such products or services, or a warranty or endorsement thereof. Use of TI Resources may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

TI RESOURCES ARE PROVIDED "AS IS" AND WITH ALL FAULTS. TI DISCLAIMS ALL OTHER WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, REGARDING TI RESOURCES OR USE THEREOF, INCLUDING BUT NOT LIMITED TO ACCURACY OR COMPLETENESS, TITLE, ANY EPIDEMIC FAILURE WARRANTY AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT OF ANY THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

TI SHALL NOT BE LIABLE FOR AND SHALL NOT DEFEND OR INDEMNIFY YOU AGAINST ANY CLAIM, INCLUDING BUT NOT LIMITED TO ANY INFRINGEMENT CLAIM THAT RELATES TO OR IS BASED ON ANY COMBINATION OF PRODUCTS EVEN IF DESCRIBED IN TI RESOURCES OR OTHERWISE. IN NO EVENT SHALL TI BE LIABLE FOR ANY ACTUAL, DIRECT, SPECIAL, COLLATERAL, INDIRECT, PUNITIVE, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES IN CONNECTION WITH OR ARISING OUT OF TI RESOURCES OR USE THEREOF, AND REGARDLESS OF WHETHER TI HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You agree to fully indemnify TI and its representatives against any damages, costs, losses, and/or liabilities arising out of your non-compliance with the terms and provisions of this Notice.

This Notice applies to TI Resources. Additional terms apply to the use and purchase of certain types of materials, TI products and services. These include; without limitation, TI's standard terms for semiconductor products (<http://www.ti.com/sc/docs/stdterms.htm>), [evaluation modules](#), and [samples](http://www.ti.com/sc/docs/sampterm.htm) (<http://www.ti.com/sc/docs/sampterm.htm>).

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265
Copyright © 2017, Texas Instruments Incorporated